

Supporting Information to Alacer Gold Exploration Announcement

Alacer Gold Corp. released an announcement in July 21, 2016 titled “Alacer Gold Announces Further Exploration Results for the Çöpler District”. This document provides the supporting data and further assay results for the Çakmaktepe North drilling program summarized in that announcement.

Çakmaktepe North – Hole Collar Summary – 1st January to 31st May, 2016

Hole Number	Easting	Northing	Elevation (m)	Azimuth (°)	Dip (°)	Final Depth (m)	Date Completed (End Date)
YNRC063	464066.0	4365537.2	1457.8	245	-60	200.00	15/12/2015
YNRC064	463899.6	4366182.7	1428.8	245	-60	212.00	16/12/2015
YNRC065	464105.8	4365498.3	1461.3	245	-60	200.00	06/03/2016
YNRC066	464131.6	4365512.6	1469.6	245	-60	158.00	07/03/2016
YNRC067	464156.1	4365526.2	1472.0	245	-60	182.00	08/03/2016
YNRC068	464135.5	4365736.9	1525.9	245	-60	100.00	09/03/2016
YNRC069	464174.9	4365812.0	1538.6	245	-60	191.00	11/03/2016
YNRC070	464220.3	4365836.4	1539.1	245	-60	150.00	13/03/2016
YNRC071	464151.5	4365803.0	1539.4	245	-60	160.00	12/03/2016
YNRC072	464152.7	4365857.4	1545.0	245	-60	210.00	16/03/2016
YNRC073	464172.6	4365867.6	1544.4	245	-60	164.00	18/03/2016
YNRC074	464202.0	4365881.2	1542.4	245	-60	86.00	19/03/2016
YNRC075	464138.6	4365906.9	1543.7	245	-60	192.00	21/03/2016
YNRC076	464161.3	4365918.0	1542.8	245	-60	150.00	22/03/2016
YNRC077	464184.2	4365929.0	1542.5	245	-60	70.00	23/03/2016
YNRC078	464097.9	4365943.1	1535.6	245	-60	145.00	25/03/2016
YNRC079	464220.6	4365890.7	1542.7	245	-60	100.00	28/03/2016
YNRC080	464120.4	4365954.0	1538.0	245	-60	78.00	25/03/2016
YNRC081	464143.4	4365964.9	1539.0	245	-60	50.00	26/03/2016
YNRC082	464165.6	4365975.8	1540.4	245	-60	50.00	26/03/2016
YNRC083	464206.9	4365939.6	1543.5	245	-60	62.00	28/03/2016
YNRC084	464053.9	4365978.1	1527.6	245	-60	150.00	29/03/2016
YNRC085	464075.1	4365988.8	1531.0	245	-60	170.00	30/03/2016
YNRC086	464099.2	4366000.2	1534.1	245	-60	80.00	31/03/2016
YNRC087	464121.6	4366010.9	1536.0	245	-60	59.00	01/04/2016
YNRC088	464144.3	4366021.9	1537.2	245	-60	65.00	01/04/2016
YNRC089	464022.1	4365850.5	1508.1	245	-60	210.00	03/04/2016
YNRC090	463976.6	4365828.7	1485.8	245	-60	210.00	04/04/2016
YNRC091	463953.8	4365875.3	1484.9	245	-60	163.00	05/04/2016
YNRC092	463944.5	4365897.2	1484.1	245	-60	143.00	07/04/2016
YNRC093	463927.2	4365945.4	1483.2	245	-60	118.00	08/04/2016
YNRC094	463883.8	4365924.1	1463.2	245	-60	210.00	10/04/2016
YNRC095	463902.7	4365876.7	1465.1	245	-60	210.00	11/04/2016

Hole Number	Easting	Northing	Elevation (m)	Azimuth (°)	Dip (°)	Final Depth (m)	Date Completed (End Date)
YNRC096	463909.3	4365850.8	1466.0	245	-60	210.00	12/04/2016
YNRC097	463932.8	4365807.3	1464.3	245	-60	200.00	13/04/2016
YNRC098	463942.6	4365786.6	1462.5	245	-60	188.00	14/04/2016
YNRC057	463914.7	4365799.0	1453.9	245	-60	31.00	08/12/2015
YNRC099	463842.5	4366065.8	1464.2	245	-60	210.00	09/05/2016
YNRC100	463859.3	4366077.8	1466.0	245	-60	210.00	10/05/2016
YNRC101	463884.1	4366089.7	1473.0	245	-60	210.00	11/05/2016
YNRC102	463906.9	4366101.4	1472.3	245	-60	210.00	12/05/2016
YNRC103	463804.7	4366070.4	1443.5	245	-60	210.00	13/05/2016
YNRC104	463826.2	4366087.3	1445.5	245	-60	210.00	14/05/2016
YNRC105	463849.5	4366100.6	1450.1	245	-60	210.00	17/05/2016
YNRC106	463867.0	4366111.9	1453.9	245	-60	218.00	18/05/2016
YNRC107	463892.1	4366121.3	1457.0	245	-60	218.00	19/05/2016
YNRC108	463914.9	4366135.0	1457.2	245	-60	203.00	21/05/2016
YNRC109	463940.3	4366145.8	1458.1	245	-60	221.00	24/05/2016
YNRC110	463983.2	4366167.7	1469.6	245	-60	212.00	25/05/2016
YNRC111	463809.3	4366196.4	1390.9	245	-60	218.00	26/05/2016
YNRC112	463828.6	4366207.8	1395.0	245	-60	197.00	27/05/2016
YNRC113	463787.9	4366181.4	1384.7	245	-60	221.00	29/05/2016
YNRC114	463742.2	4366158.2	1380.7	245	-60	218.00	30/05/2016
YNRC115	463857.9	4366219.4	1402.3	245	-60	156.00	31/05/2016
YNMT001	463842.0	4365931.3	1451.9	65	-68	230.40	18/03/2016
YNMT002	463834.9	4365982.0	1461.1	65	-66	190.90	17/03/2016
YNMT003	463834.7	4365982.0	1460.5	65	-77	253.00	02/04/2016
YNMT004	463841.8	4365931.2	1451.5	65	-77	242.50	03/04/2016
YNMT005	463873.6	4365891.5	1453.4	65	-68	160.50	02/04/2016
YNMT006	463872.9	4365891.4	1453.0	65	-77	176.50	09/04/2016
YNMT007	463835.9	4365982.6	1461.1	65	-45	75.80	07/04/2016
YNMT008	463890.3	4365844.9	1450.9	65	-81	193.00	19/04/2016
YNMT009	463834.3	4365982.1	1461.2	65	-85	232.00	17/04/2016
YNMT010	463874.1	4365891.8	1453.3	65	-48	50.70	15/04/2016
YNMT011	463873.5	4365892.6	1453.3	65	-53	155.00	21/04/2016
YNMT012	463835.4	4365982.4	1460.6	65	-58	188.10	24/04/2016
YNMT013	463890.4	4365845.1	1450.9	65	-71	200.50	29/04/2016
YNMT014	463872.4	4365892.4	1452.7	65	-85	268.60	04/05/2016
YNMT015	463891.3	4365845.2	1450.1	65	-57	112.00	04/05/2016
YNMT016	463841.7	4365931.4	1451.7	65	-84	243.20	15/05/2016
YNMT017	463842.4	4365931.5	1451.6	65	-60	172.00	22/05/2016
YNMT018	463843.2	4365931.8	1451.6	65	-44	119.30	27/05/2016
YNPZ001	464013.9	4366291.5	1457.1	-	-90	32.40	22/04/2016
YNPZ002	464016.7	4366292.8	1457.2	-	-90	257.30	05/05/2016

Hole Number	Easting	Northing	Elevation (m)	Azimuth (°)	Dip (°)	Final Depth (m)	Date Completed (End Date)
YNPZ003	464493.0	4365406.7	1499.5	-	-90	251.00	18/05/2016
YNPZ004	463824.8	4365912.9	1440.4	-	-90	246.50	31/05/2016
YNDD004	463853.9	4366159.6	1425.8	245	-60	214.20	26/12/2015
YNDD005	463915.6	4366076.4	1485.3	245	-60	140.50	06/04/2016
YNDD006	464023.2	4365851.5	1507.8	245	-60	269.60	30/04/2016
YNDD007	463893.2	4366067.4	1481.7	245	-70	179.00	10/05/2016
YNDD008	463954.0	4366039.5	1499.1	245	-63	290.00	25/05/2016
YNDD009	463987.8	4365778.4	1478.8	245	-56	239.00	14/05/2016
YNDD010	463899.8	4366182.9	1428.4	245	-65	252.20	23/05/2016
YNDD011	463949.6	4365758.8	1457.2	245	-52	215.60	20/05/2016
YNDD012	463917.6	4366077.1	1484.8	245	-68	230.80	23/05/2016
YNDD013	463988.2	4365778.6	1478.7	245	-70	233.50	22/05/2016
YNDD014	463951.0	4365759.2	1457.2	-	-90	20.00	21/05/2016
YNDD015	464030.9	4365797.1	1501.3	245	-49	97.00	26/05/2016
YNDD016	463988.7	4365778.7	1478.5	-	-90	31.00	23/05/2016
YNDD019	463987.2	4365778.1	1478.6	245	-49	80.00	26/05/2016
YNRCD011	464088.4	4365827.0	1531.1	245	-60	101.50	02/04/2016
YNRCD017	464051.8	4365921.7	1529.4	245	-60	207.30	13/04/2016
YNRCD020	463944.0	4365980.2	1491.9	245	-60	142.00	23/12/2015
YNRCD025	464059.6	4365756.7	1503.9	245	-60	125.50	23/12/2015
YNRCD029	463878.3	4366003.4	1481.4	245	-60	111.70	17/05/2016
YNRCD030	463889.6	4365954.9	1474.7	245	-60	120.00	07/05/2016
YNRCD032	463931.3	4365862.9	1475.6	245	-60	93.50	04/05/2016
YNRCD042	463857.4	4365994.9	1472.9	245	-60	126.70	18/05/2016
YNRCD046	463975.1	4366051.1	1502.8	245	-60	93.00	29/03/2016
YNRCD047	463892.4	4366067.2	1481.6	245	-60	52.20	20/04/2016
YNRCD048	463870.6	4366056.4	1476.5	245	-60	87.90	07/04/2016
YNRCD050	463957.4	4366097.7	1486.2	245	-60	58.00	15/04/2016
YNRCD051	463923.9	4366193.4	1436.8	245	-60	120.30	22/04/2016
YNRCD054	463952.2	4366038.8	1499.0	245	-60	107.80	15/04/2016
YNRCD055	463903.7	4366017.8	1487.9	245	-60	74.00	29/04/2016
YNRCD064	463899.6	4366182.7	1428.8	245	-60	135.10	05/05/2016
YNRCD093	463927.2	4365945.4	1483.2	245	-60	182.00	30/04/2016

Çakmatepe North – Summary Drilling Results – 1st January to 31st May, 2016

Significant assays are defined as drill hole intercepts having a $\geq 2.0\text{m}$ downhole extent averaging $\geq 1.00\text{g/t Au}$. Significant assays within the body of the Press Release are subsets of presented data where drill hole intercepts are either $\geq 5.0\text{m @ } \geq 1.00\text{g/t Au}$ (*text*) or $\geq 10\text{g/t @ } > 1.00\text{g/t Au}$ (*diagrams*).

Hole ID	Section	From (m)	To (m)	Intercept (m)	Au ppm	Ag ppm	Cu %	Remarks	Depth (m)	
YNRC063	NW200	N.S.R								200.00
YNRC064	NW850	90.00	98.00	8.00	1.67	45.62	0.14	Oxide	212.00	
		138.00	149.00	11.00	1.00	12.00	-			
		200.00	204.00	4.00	3.95	13.25	-			
		208.00	212.00	4.00	1.28	8.00	-			
YNRC065	NW150	N.S.R								200.00
YNRC066	NW150	N.S.R								158.00
YNRC067	NW150	N.S.R								182.00
YNRC068	NW350	31.00	39.00	8.00	0.44	3.38	-	Oxide	100.00	
YNRC069	NW400	2.00	11.00	9.00	0.42	2.33	0.24	Oxide	191.00	
		36.00	39.00	3.00	1.17	2.67	-			
YNRC070	NW400	0.00	14.00	14.00	0.43	14.50	0.20	Oxide	150.00	
		139.00	141.00	2.00	1.20	2.50	-	Sulp		
YNRC071	NW400	25.00	27.00	2.00	1.04	10.50	-	Oxide	160.00	
YNRC072	NW450	85.00	86.00	1.00	7.91	9.00	-	Oxide	210.00	
YNRC073	NW450	10.00	13.00	3.00	0.73	-	-	Oxide	164.00	
YNRC074	NW450	11.00	23.00	12.00	0.66	-	0.10	Oxide	86.00	
<i>including</i>		16.00	18.00	2.00	1.07	-	-			
YNRC075	NW500	1.00	6.00	5.00	0.70	-	-	Oxide	192.00	
<i>including</i>		3.00	5.00	2.00	1.19	-	-			
		15.00	18.00	3.00	0.76	-	-			

Hole ID	Section	From (m)	To (m)	Intercept (m)	Au ppm	Ag ppm	Cu %	Remarks	Depth (m)
		22.00	24.00	2.00	1.89	-	-		
<i>including</i>		22.00	23.00	1.00	3.47	-	-		
		66.00	69.00	3.00	0.45	-	-		
		71.00	74.00	3.00	1.22	-	-		
		88.00	93.00	5.00	5.04	-	-		
<i>including</i>		91.00	92.00	1.00	23.02	-	-	Sulphide	
		119.00	120.00	1.00	1.38	-	-		
		166.00	168.00	2.00	0.40	-	-		

YNRC076		4.00	6.00	2.00	3.60	-	-		
<i>including</i>		4.00	5.00	1.00	5.84	-	-	Oxide	
	NW500	79.00	81.00	2.00	0.76	-	-		150.00
		126.00	128.00	2.00	1.20	-	-	Sulphide	
		132.00	133.00	1.00	3.10	-	-		

YNRC077	NW500	N.S.R							70.00
---------	-------	-------	--	--	--	--	--	--	-------

YNRC078	NW550	2.00	6.00	4.00	0.35	-	-	Oxide	145.00
		112.00	114.00	2.00	1.75	-	-	Sulphide	
		120.00	123.00	3.00	0.76	23.00	-		

YNRC079		20.00	24.00	4.00	2.67	-	0.16		
<i>including</i>	NW450	21.00	23.00	2.00	3.96	-	-		100.00
		50.00	52.00	2.00	0.35	-	-		

YNRC080	NW550	12.00	14.00	2.00	1.09	-	-	Oxide	78.00
---------	-------	-------	-------	------	------	---	---	-------	-------

YNRC081	NW550	N.S.R							50.00
---------	-------	-------	--	--	--	--	--	--	-------

YNRC082	NW550	N.S.R							50.00
---------	-------	-------	--	--	--	--	--	--	-------

YNRC083	NW500	34.00	38.00	4.00	1.54	-	-	Oxide	62.00
---------	-------	-------	-------	------	------	---	---	-------	-------

YNRC084	NW600	113.00	120.00	7.00	1.10	-	-	Oxide	150.00
---------	-------	--------	--------	------	------	---	---	-------	--------

YNRC085	NW600	63.00	65.00	2.00	2.47	-	-	Oxide	170.00
		136.00	141.00	5.00	1.00	-	-	Sulphide	

YNRC086	NW600	14.00	16.00	2.00	0.75	-	-	Oxide	80.00
---------	-------	-------	-------	------	------	---	---	-------	-------

YNRC087	NW600	42.00	46.00	4.00	0.33	-	-	Oxide	59.00
---------	-------	-------	-------	------	------	---	---	-------	-------

YNRC088	NW600	52.00	55.00	3.00	0.63	-	-	Oxide	65.00
---------	-------	-------	-------	------	------	---	---	-------	-------

Hole ID	Section	From (m)	To (m)	Intercept (m)	Au ppm	Ag ppm	Cu %	Remarks	Depth (m)
YNRC089	NW500	38.00	41.00	3.00	0.60	-	-	Oxide	210.00
		170.00	178.00	8.00	0.45	-	-		
YNRC090	NW500	76.00	89.00	13.00	4.20	35.00	0.63	Oxide	210.00
		93.00	97.00	4.00	1.20	9.00	0.37		
<i>including</i>		96.00	97.00	1.00	3.73	22.00	0.74		
		141.00	145.00	4.00	0.45	24.00	-		
		151.00	156.00	5.00	0.52	6.00	-		
YNRC091	NW550	44.00	46.00	2.00	1.87	44.00	0.38	Oxide	161.00
<i>including</i>		44.00	45.00	1.00	3.44	82.00	0.57		
		61.00	63.00	2.00	1.92	89.00	0.18		
		92.00	98.00	6.00	3.26	6.00	-		
<i>including</i>		93.00	95.00	2.00	6.63	9.00	0.14		
		113.00	141.00	28.00	4.00	20.00	-		
<i>including</i>		129.00	140.00	11.00	6.33	33.00	-		
YNRC092	NW575	63.00	66.00	3.00	3.97	14.30	-	Oxide	143.00
		117.00	119.00	2.00	1.35	-	-		
YNRC093	NW625	47.00	71.00	24.00	2.01	16.58	0.39	Oxide	118.00
<i>including</i>		48.00	50.00	2.00	16.28	5.50	0.17		
		77.00	93.00	16.00	1.86	12.19	0.28		
<i>including</i>		84.00	88.00	4.00	3.28	16.50	0.22		
YNRC094	NW625	N.S.R							210.00
YNRC095	NW575	3.00	27.00	24.00	1.54	4.04	-	Oxide	210.00
<i>including</i>		11.00	24.00	13.00	2.23	2.62	-		
<i>including</i>		13.00	18.00	5.00	3.84	2.00	-		
YNRC096	NW550	0.00	20.00	20.00	1.42	15.45	0.16	Oxide	210.00
<i>including</i>		15.00	18.00	3.00	4.40	2.00	-		
YNRC097	NW500	0.00	30.00	30.00	1.57	23.23	0.15	Oxide	200.00
<i>including</i>		17.00	26.00	9.00	2.21	13.89	0.17		
YNRC098	NW475	19.00	26.00	7.00	2.21	10.85	0.14	Oxide	170.00
<i>including</i>		20.00	24.00	4.00	3.47	10.00	0.16		
		44.00	49.00	5.00	2.23	2.80	-		
		145.00	182.00	37.00	3.24	-	-		
<i>including</i>		157.00	170.00	13.00	6.44	2.69	-		

Hole ID	Section	From (m)	To (m)	Intercept (m)	Au ppm	Ag ppm	Cu %	Remarks	Depth (m)
<i>including</i>		160.00	163.00	3.00	10.18	2.00	-		

YNRC057	NW500	189.00	191.00	2.00	0.68	-	-	Oxide	210.00
---------	-------	--------	--------	------	------	---	---	-------	--------

YNRC099	NW775	37.00	39.00	2.00	0.68	6.50	-	Oxide	210.00
		170.00	174.00	4.00	0.97	2.50	-		

YNRC100	NW775	196.00	210.00	14.00	1.56	2.57	-	Oxide	210.00
---------	-------	--------	--------	-------	------	------	---	-------	--------

YNRC101	NW775	70.00	75.00	5.00	0.34	4.00	0.22	Oxide	210.00
		90.00	99.00	9.00	0.75	6.22	0.12		
		191.00	206.00	15.00	1.03	2.52	-		
<i>including</i>		199.00	202.00	3.00	1.81	3.67	-		

YNRC102	NW775	59.00	71.00	12.00	1.97	2.58	0.11	Oxide	210.00
<i>including</i>		64.00	66.00	2.00	5.76	5.50	-		
		107.00	114.00	7.00	0.49	8.14	-		
		127.00	135.00	8.00	1.05	21.75	-		
<i>including</i>		130.00	133.00	3.00	1.73	3.20	-		

YNRC103	NW800	208.00	210.00	2.00	1.28	-	-	Oxide	210.00
---------	-------	--------	--------	------	------	---	---	-------	--------

YNRC104	NW800	17.00	36.00	19.00	1.73	-	-	Oxide	210.00
<i>including</i>		18.00	22.00	4.00	5.01	-	-		
		203.00	207.00	4.00	2.09	-	-		

YNRC105	NW800	53.00	57.00	4.00	1.09	-	-	Oxide	210.00
---------	-------	-------	-------	------	------	---	---	-------	--------

YNRC106	NW800	187.00	208.00	21.00	2.03	3.05	-	Oxide	218.00
<i>including</i>		190.00	195.00	5.00	3.56	3.00	-		

YNRC107	NW800	119.00	121.00	2.00	1.24	-	-	Oxide	218.00
		208.00	218.00	10.00	1.22	-	-		

YNRC108	NW800	30.00	42.00	12.00	7.37	-	-	Oxide	203.00
<i>including</i>		30.00	32.00	2.00	14.26	-	-		
		35.00	38.00	3.00	16.84	-	-		
		140.00	147.00	7.00	1.00	-	-		
		151.00	154.00	3.00	1.00				
		162.00	176.00	14.00	1.68	-	-		
		183.00	190.00	7.00	1.00				
		196.00	199.00	3.00	0.73				

Hole ID	Section	From (m)	To (m)	Intercept (m)	Au ppm	Ag ppm	Cu %	Remarks	Depth (m)
YNRC109	NW800	149.00	160.00	11.00	1.10	-	-	Sulphide	221.00
		164.00	167.00	3.00	1.85	-	-		
		167.00	195.00	28.00	1.00	-	-	Oxide	
YNRC110	NW800	162.00	168.00	6.00	1.15	-	-	Sulphide	212.00
		191.00	196.00	5.00	4.38	-	-	Sulphide	
YNRC111	NW900	146.00	172.00	26.00	2.24	10.00	-	Oxide	218.00
YNRC112	NW900	7.00	9.00	2.00	1.24	-	-	Oxide	197.00
		166.00	172.00	6.00	0.53	-	-		
YNRC113	NW900	N.S.R							219.00
YNRC114	NW900	148.00	151.00	3.00	0.56	-	-	Oxide	218.00
		172.00	176.00	4.00	0.74	-	-	Sulphide	
YNRC115	NW900	N.S.R							156.00
YNMT001	NW650	94.80	138.00	43.20	2.61	12.66	-	Oxide	230.40
<i>including</i>		117.00	123.00	6.00	4.89	15.67	-	Oxide	
<i>including</i>		132.80	138.00	5.20	5.26	30.19	-	Oxide	
		138.00	144.00	6.00	1.49	4.50	-	Sulp	
		152.00	167.00	15.00	1.00	4.00	-	Oxide	
YNMT002	NW700	36.00	47.90	11.90	0.88	2.90	-	Oxide	190.90
		68.00	76.00	8.00	4.75	21.20	0.17	Oxide	
<i>including</i>		73.00	75.00	2.00	7.95	40.00	0.12	Oxide	
		78.50	125.00	46.50	1.17	5.65	0.45	Oxide	
		164.00	169.00	5.00	1.00	-	-	Sulp	
YNMT003	NW700	97.10	161.10	64.00	1.36	-	-	Oxide	253.00
<i>including</i>		118.10	121.10	3.00	3.34	-	-		
		128.10	136.10	8.00	2.83	-	-		
		143.10	149.10	6.00	2.57	-	-		
YNMT004	NW650	123.60	156.20	32.60	1.17	-	-	Oxide	242.50
<i>including</i>		127.20	132.20	5.00	2.88	-	-	Oxide	
		176.20	181.20	5.00	0.72			Oxide	
YNMT005	NW600	22.30	25.30	3.00	0.57	-	-	Oxide	160.50
		53.90	56.00	2.10	2.81	-	-		
<i>including</i>		53.90	54.90	1.00	4.92	-	-		

Hole ID	Section	From (m)	To (m)	Intercept (m)	Au ppm	Ag ppm	Cu %	Remarks	Depth (m)
		81.10	90.80	9.70	3.97	-	-		
<i>including</i>		83.80	87.80	4.00	5.98	-	-		

YNMT006	NW600	70.50	145.50	75.00	2.34	10.55	-	Oxide	176.50
<i>including</i>		108.50	121.00	12.50	7.65	23.52	-		
<i>including</i>		111.50	112.90	1.40	44.53	19.00	-		
		145.50	152.00	6.50	1.94	3.85	-	Sulphide	

YNMT007	NW700	36.30	39.80	3.50	0.77	-	-	Oxide	75.80
		55.10	66.40	11.30	1.28	-	-		
<i>including</i>		57.10	61.10	4.00	2.66	-	-		

YNMT008	NW550	74.30	99.40	25.10	2.41	23.85	-	Oxide	193.00
<i>including</i>		95.60	99.40	3.80	8.13	88.75	-		
		112.50	117.50	5.00	3.15	14.20	0.20		

YNMT009	NW700	15.00	22.50	7.50	0.53	9.39	0.10	Oxide	232.00
		131.30	151.50	20.20	1.79	7.75	-		
<i>including</i>		138.50	142.50	4.00	3.10	15.00	-		
		151.50	154.50	3.00	2.16	2.33	-	Sulphide	
		154.50	164.50	10.00	1.14	4.10		Oxide	

YNMT010	NW600	10.00	32.00	22.00	2.03	7.22	-	Oxide	50.70
<i>including</i>		20.00	24.80	4.80	5.44	6.54	-		

YNMT011	NW600	21.00	26.40	5.40	1.90	-	-	Oxide	155.00
		63.40	65.40	2.00	1.25	-	-	Oxide	

YNMT012	NW700	39.00	47.30	8.30	0.50	8.00	0.35	Oxide	188.10
		67.30	70.40	3.10	1.03	71.00	-		
		94.70	97.70	3.00	2.49	-	-	Sulphide	
		99.70	101.70	2.00	2.33	-	-		
<i>including</i>		100.70	101.70	1.00	4.04	-	-		
		107.70	109.70	2.00	0.86	-	-		

YNMT013	NW550	72.00	93.70	21.70	2.50	-	-	Oxide	200.50
		98.70	112.70	14.00	2.14	-	-		
		112.70	123.70	11.00	1.98	-	-	Sulphide	
		124.70	129.70	5.00	1.21				

YNMT014	NW600	101.00	130.00	29.00	1.70	-	-	Oxide	268.60
<i>including</i>		102.00	106.00	4.00	3.16	-	-		
		111.00	118.00	7.00	3.18	-	-		

Hole ID	Section	From (m)	To (m)	Intercept (m)	Au ppm	Ag ppm	Cu %	Remarks	Depth (m)
		150.00	160.00	10.00	0.73	-	-		

YNMT015	NW550	32.00	47.50	15.50	2.28	2.94	0.17	Oxide	179.00
<i>including</i>		33.00	36.70	3.70	4.98	2.00	-		
		62.50	64.50	2.00	0.98	12.00	-		
		66.50	69.50	3.00	1.14	2.33	-	Sulphide	
		91.50	94.50	3.00	0.91	2.00	-		
		103.50	105.50	2.00	1.00	2.00	-		

YNMT016	NW650	134.70	150.70	16.00	1.00	3.57	-	Oxide	243.20
<i>including</i>		143.70	148.70	5.00	1.57	3.80	-		

YNMT017	NW650	99.40	116.20	16.80	3.78	-	-	Oxide	172.00
<i>including</i>		103.40	110.40	7.00	5.35	-	-		
		116.20	127.20	11.00	1.34	-	-	Sulphide	
		127.20	132.20	5.00	2.13	-	-	Oxide	
		146.20	152.20	6.00	1.26	-	-	Sulphide	

YNMT018	NW650	15.00	18.00	3.00	1.00	-	-	Oxide	119.30
		110.50	119.30	8.80	1.06	-	-	Sulphide	

YNPZ001	NW900	N.S.R							32.40
---------	-------	-------	--	--	--	--	--	--	-------

YNPZ002	NW900	221.00	224.00	3.00	1.10	7.30	-	Oxide	257.30
		231.00	237.00	6.00	2.58	4.50	-	Oxide	
		237.00	239.00	2.00	1.66	7.50	-	Sulphide	
		239.00	249.00	10.00	0.71	4.70	-	Oxide	

YNPZ003		N.S.R							251.00
---------	--	-------	--	--	--	--	--	--	--------

YNPZ004	NW650	125.00	136.00	11.00	0.39	-	-		246.50
---------	-------	--------	--------	-------	------	---	---	--	--------

YNDD004	NW850	187.00	190.00	3.00	1.99	-	-	Oxide	214.20
		195.00	214.20	19.20	0.87	-	-		

YNDD005	NW750	130.00	159.10	29.10	0.72	-	-	Oxide	192.50
<i>including</i>		132.00	135.00	3.00	2.29	-	-		
		152.10	156.10	4.00	1.08	-	-		

YNDD006	NW500	38.40	42.40	4.00	0.60	-	-	Oxide	269.60
		150.20	152.20	2.00	1.08	-	-	Sulphide	
		178.20	183.20	5.00	0.44	-	-	Ox+Sulp	
		192.20	197.20	5.00	0.46	-	-	Oxide	

Hole ID	Section	From (m)	To (m)	Intercept (m)	Au ppm	Ag ppm	Cu %	Remarks	Depth (m)
YNDD007	NW750	57.00	59.00	2.00	3.13	2.00	-	Oxide	179.00
		76.20	82.00	5.80	1.70	26.71	-		
		97.20	140.70	43.50	1.43	22.11	0.16		
<i>including</i>		116.30	122.30	6.00	2.31	9.00	0.17		
YNDD008	NW700	102.60	107.60	5.00	3.55	-	-	Oxide	290.00
		131.60	133.60	2.00	2.58	-	-	Sulphide	
		182.60	201.00	18.40	1.04	-	-	Oxide	
		201.00	205.30	4.30	1.06	-	-	Sulphide	
		215.30	220.30	5.00	1.00	-	-	Sulphide	
YNDD009	NW450	15.00	18.00	3.00	1.82	49.71	0.22	Oxide	239.00
		172.00	179.00	7.00	1.01	5.71	0.19		
YNDD010	NW850	125.00	133.00	8.00	1.05	-	-	Sulphide	252.20
		140.00	144.00	4.00	1.35	-	-	Oxide	
		147.00	152.00	5.00	1.23	-	-		
		188.00	191.00	3.00	1.14	-	-		
		201.40	207.40	6.00	1.42	-	-		
YNDD011	NW450	156.00	165.00	9.00	2.02	-	-	Oxide	215.60
<i>including</i>		159.00	160.00	1.00	11.90	-	-		
YNDD012	NW750	84.00	86.00	2.00	0.91	-	-	Oxide	225.00
		92.00	94.00	2.00	0.59	-	-		
		158.40	167.20	8.80	1.08	-	-		
		171.20	175.20	4.00	1.00	-	-		
		178.20	186.20	8.00	1.03	-	-		
		191.20	216.20	25.00	1.01				
YNDD013	NW450	16.50	20.50	4.00	0.79	-	-	Oxide	233.50
		118.10	125.10	7.00	1.27	-	-		
YNDD014	NW450	2.00	4.00	2.00	0.56	-	-	Oxide	20.00
YNDD015	NW450	N.S.R							97.00
YNDD016	NW450	22.50	25.50	3.00	1.31	-	-	Oxide	31.00
YNDD019	NW450	63.50	68.50	5.00	2.57	-	-	Oxide	80.00
YNRCD011	NW450	N.S.R							358.50

Hole ID	Section	From (m)	To (m)	Intercept (m)	Au ppm	Ag ppm	Cu %	Remarks	Depth (m)	
YNRCD017	NW550	N.S.R								327.30
YNRCD020	NW650	199.50	218.50	19.00	1.06	-	-	Oxide	316.50	
<i>including</i>		212.50	215.50	3.00	2.09	-	0.12			
YNRCD025	NW850	N.S.R								295.50
YNRCD029	NW700	N.S.R								256.70
YNRCD030	NW650	N.S.R								275.00
YNRCD032	NW550	174.50	176.50	2.00	2.05	-	-	Oxide	233.50	
YNRCD042	NW700	N.S.R								224.70
YNRCD046	NW700	218.00	223.00	5.00	1.35	-	-	Oxide	303.00	
		231.90	246.00	14.10	1.05	-	-			
YNRCD047	NW750	N.S.R								262.20
YNRCD048	NW750	N.S.R								297.90
YNRCD050	NW750	214.00	227.00	13.00	1.31	11.23	0.89	Oxide	268.00	
YNRCD051	NW850	203.70	217.20	13.50	0.55	10.18	0.10	Oxide	320.30	
YNRCD054	NW700	218.90	228.90	10.00	1.00	4.58	-	Oxide	317.80	
		252.40	254.40	2.00	1.35	4.50	-			
YNRCD055	NW700	212.10	229.10	17.00	1.23	-	-	Oxide	283.00	
<i>including</i>		221.10	226.10	5.00	2.95	6.40	-			
YNRCD064	NW850	211.00	214.00	3.00	1.00	3.48	-	Oxide	233.50	
YNRCD093	NW625	192.20	194.20	2.00	2.10	-	-	Oxide	300.00	