

## Supporting Drill Information to Alacer Gold Announcement

This document provides supporting drill collar locations and composite assay results for the Ardich drilling program referenced in the announcement “Alacer Gold Announces Additional Positive Drill Results for the Ardich Gold Prospect, Including 50.2 Meters at 3.01 Grams per Tonne Gold Near Surface”, dated July 25, 2018.

Drill collar locations are surveyed in UTM Zone 37N, ED50 grid using differential GPS in units of meters.

### Drill Collar Coordinates

Hole ID	Easting	Northing	Elevation	Azimuth	Dip	Depth
AR19	463206.47	4367344.97	1187.50	220	-60	133.00
AR20	463462.24	4367128.23	1174.67	315	-60	122.80
AR21	463265.90	4367338.00	1190.23	40	-60	128.80
AR22	463194.83	4367199.92	1215.91	220	-50	146.20
AR23	463297.09	4367281.04	1202.14	60	-50	172.70
AR24	463197.74	4367198.97	1215.86	180	-50	186.60
AR25	463195.75	4367199.70	1215.84	40	-70	134.20
AR26	463294.72	4367280.56	1202.14	180	-60	124.70
AR27	463290.39	4367112.79	1206.61	200	-50	228.60
AR28	463232.68	4367308.83	1204.24	180	-70	85.40
AR29	463326.42	4367099.47	1202.49	200	-60	120.10
AR30	463251.80	4367247.09	1216.00	200	-50	200.60
AR31	463370.79	4367194.04	1204.33	20	-50	160.70
AR32	463370.40	4367193.60	1204.18	180	-70	130.20
AR33	463261.31	4367066.77	1216.18	240	-70	197.70
AR34	463263.08	4367068.81	1216.08	360	-60	169.40
AR35	463333.06	4367193.78	1214.63	0	-90	101.60
AR36	463122.82	4367252.98	1216.14	360	-60	141.80
AR37	463352.17	4367052.24	1207.06	140	-70	180.30
AR38	462979.16	4367429.22	1248.94	260	-60	193.00
AR39	463704.47	4367962.72	1176.99	210	-50	293.30
AR40	463536.18	4367233.15	1173.39	270	-80	208.00
AR41	463535.42	4367231.89	1173.31	90	-70	150.90
AR42	463541.75	4367192.62	1172.96	210	-70	147.30
AR43	463542.31	4367193.84	1172.90	120	-60	152.30

### Ardich Mineralized Intercepts

Hole ID	From (m)	To (m)	Length (m)	Au g/t	Remarks	Depth (m)	Comments
AR19	0.00	2.00	2.00	2.31	Oxide	133.00	
	13.00	20.00	7.00	0.71	Oxide		
	24.00	27.00	3.00	1.27	Oxide		
	35.00	90.50	55.50	0.99	Oxide		
<b>Including</b>	<b>63.00</b>	<b>65.00</b>	<b>2.00</b>	<b>3.47</b>	<b>Oxide</b>		
AR20	25.20	65.00	39.80	1.84	Mixed	122.80	25.20-28.20, 33.60-41.00, 42.00-53.00m Sulfide
<b>Including</b>	<b>34.70</b>	<b>43.40</b>	<b>8.70</b>	<b>4.25</b>	<b>Sulfide</b>		
<b>Including</b>	<b>50.70</b>	<b>53.00</b>	<b>2.30</b>	<b>6.89</b>	<b>Sulfide</b>		
AR21	99.80	103.90	4.10	3.58	Oxide	128.80	
AR22	82.50	106.70	24.20	2.15	Oxide	146.20	94.50-98.10 Sulfide
<b>Including</b>	<b>85.50</b>	<b>88.50</b>	<b>3.00</b>	<b>4.24</b>	<b>Oxide</b>		
	112.70	114.70	2.00	1.00	Sulfide		
AR23	5.00	44.00	39.00	0.78	Oxide	172.70	
	138.00	145.00	7.00	4.07	Oxide		
<b>Including</b>	<b>140.00</b>	<b>143.00</b>	<b>3.00</b>	<b>6.57</b>	<b>Oxide</b>		
AR24	114.60	171.60	57.00	2.01	Mixed	186.60	126.00-155.60 Sulfide
<b>Including</b>	<b>128.80</b>	<b>142.70</b>	<b>13.90</b>	<b>4.80</b>	<b>Sulfide</b>		
<b>Including</b>	<b>148.70</b>	<b>152.60</b>	<b>3.90</b>	<b>4.45</b>	<b>Sulfide</b>		
AR25	69.00	77.00	8.00	2.91	Oxide	134.20	
<b>Including</b>	<b>73.80</b>	<b>75.70</b>	<b>1.90</b>	<b>6.91</b>	<b>Oxide</b>		
	81.00	87.70	6.70	0.73	Oxide		84.70-87.70 Sulfide
AR26	6.00	61.00	55.00	0.80	Oxide	172.70	17.00-18.00 Sulfide
	75.00	82.00	7.00	0.38	Oxide		
AR27	158.00	201.10	43.10	1.82	Mixed	228.60	Including 23.90m Sulfide
<b>Including</b>	<b>161.00</b>	<b>170.00</b>	<b>9.00</b>	<b>3.88</b>	<b>Sulfide</b>		161.00-162.00 Oxide
	213.00	228.60	15.60	0.60	Mixed		216.00-228.60 Sulfide
AR28	36.30	40.00	3.70	0.77	Oxide	85.40	
	45.00	70.00	25.00	0.59	Oxide		
	77.00	79.00	2.00	0.61	Oxide		
AR29	94.60	117.10	22.50	2.64	Oxide	120.10	Includes isolated interval of 0.5m core loss
<b>Including</b>	<b>99.60</b>	<b>106.20</b>	<b>6.60</b>	<b>4.84</b>	<b>Sulfide</b>		Includes isolated interval of 0.5m core loss
AR30	26.50	50.80	24.30	1.59	Oxide	200.60	40.80-41.80 Sulfide
<b>Including</b>	<b>31.10</b>	<b>34.80</b>	<b>3.70</b>	<b>3.86</b>	<b>Oxide</b>		
	73.00	76.10	3.10	1.84	Oxide		
	106.70	132.30	25.60	2.40	Oxide		
<b>Including</b>	<b>108.70</b>	<b>114.00</b>	<b>5.30</b>	<b>4.51</b>	<b>Oxide</b>		
	143.80	175.30	31.50	1.64	Oxide	143.80-150.20 Sulfide	

Hole ID	From (m)	To (m)	Length (m)	Au g/t	Remarks	Depth (m)	Comments
<i>Including</i>	<b>143.80</b>	<b>145.80</b>	<b>2.00</b>	<b>3.04</b>	<b>Sulfide</b>		
<i>Including</i>	<b>154.10</b>	<b>156.70</b>	<b>2.60</b>	<b>7.81</b>	<b>Oxide</b>		
AR31	5.00	30.00	25.00	0.64	Oxide	160.70	Includes isolated intervals of core loss totaling 0.6m, 20.00-21.00 Sulfide
	36.00	104.60	68.60	2.21	Oxide		75.00-84.00m Sulfide
<i>Including</i>	<b>79.00</b>	<b>96.00</b>	<b>17.00</b>	<b>5.50</b>	<b>Mixed</b>		80.00-84.00m Sulfide
AR32	11.00	46.40	35.40	1.03	Oxide	130.20	Includes isolated intervals of core loss totaling 1.5 m
	54.10	73.10	19.00	0.81	Oxide		
	82.20	88.20	6.00	0.32	Oxide		
	95.20	99.20	4.00	0.42	Oxide		
AR33	125.70	159.70	34.00	1.47	Sulfide	197.70	Includes isolated intervals of core loss totaling 1.1 m
<i>Including</i>	<b>136.90</b>	<b>138.90</b>	<b>2.00</b>	<b>4.34</b>	<b>Mixed</b>		137.90-138.90 Sulfide
AR34	-	-	-	-	-	169.40	There is no consecutive 3m mineralization
AR35	17.00	33.60	16.60	0.89	Oxide	101.60	24.00-25.00 Sulfide
	38.60	70.00	31.40	0.84	Oxide		Includes isolated interval of 0.8m core loss
<i>Including</i>	<b>58.00</b>	<b>60.00</b>	<b>2.00</b>	<b>3.77</b>	<b>Oxide</b>		
	77.90	82.90	5.00	0.29	Oxide		
	92.90	97.60	4.70	0.41	Oxide		
AR36	14.80	26.80	12.00	0.46	Oxide	141.80	
	50.20	93.60	43.40	1.20	Oxide		Includes isolated intervals of core loss totaling 1.3m, 59.00-60.00 Sulfide
<i>Including</i>	<b>63.30</b>	<b>68.30</b>	<b>5.00</b>	<b>2.98</b>	<b>Oxide</b>		
AR37	88.40	123.00	34.60	4.31	Oxide	180.30	120.00-122.00 Sulfide
<i>Including</i>	<b>92.40</b>	<b>108.80</b>	<b>16.40</b>	<b>7.06</b>	<b>Oxide</b>		
<i>Including</i>	<b>118.80</b>	<b>121.00</b>	<b>2.20</b>	<b>6.38</b>	<b>Oxide</b>		120.00-121.00 Sulfide
AR38	-	-	-	-	-	193.00	There is no consecutive 3m mineralization
AR39	-	-	-	-	-	293.30	There is no consecutive 3m mineralization
AR40	22.00	26.00	4.00	0.39	Oxide	208.00	
	37.00	39.00	2.00	0.89	Oxide		
	48.00	81.00	33.00	0.72	Oxide		Includes isolated intervals of core loss totaling 0.4 m
AR41	43.40	93.60	50.20	3.01	Oxide	150.90	105.00-107.00 Sulfide
<i>Including</i>	<b>50.40</b>	<b>52.40</b>	<b>2.00</b>	<b>4.41</b>	<b>Oxide</b>		
<i>Including</i>	<b>59.40</b>	<b>67.30</b>	<b>7.90</b>	<b>8.81</b>	<b>Oxide</b>		
<i>Including</i>	<b>74.00</b>	<b>78.40</b>	<b>4.40</b>	<b>8.97</b>	<b>Oxide</b>		
	98.00	108.00	10.00	5.42	Oxide		105.00-107.00 Sulfide
<i>Including</i>	<b>102.00</b>	<b>108.00</b>	<b>6.00</b>	<b>8.44</b>	<b>Oxide</b>		105.00-107.00 Sulfide
AR42	27.00	50.50	23.50	1.70	Oxide	147.30	49.40-50.50 Sulfide
<i>Including</i>	<b>41.00</b>	<b>43.70</b>	<b>2.70</b>	<b>4.42</b>	<b>Oxide</b>		
	56.50	82.80	26.30	1.53	Oxide		
<i>Including</i>	<b>78.80</b>	<b>81.80</b>	<b>3.00</b>	<b>5.59</b>	<b>Oxide</b>		

Hole ID	From (m)	To (m)	Length (m)	Au g/t	Remarks	Depth (m)	Comments
AR43	60.20	65.20	5.00	6.48	Oxide	152.30	
<i>Including</i>	<b>61.20</b>	<b>63.20</b>	<b>2.00</b>	<b>9.78</b>	<b>Oxide</b>		
	85.40	93.40	8.00	0.43	Oxide		
	112.00	122.20	10.20	0.81	Oxide		
	143.80	151.40	7.60	0.76	Oxide		150.40-151.40 Sulfide